

Print Station Work Instructions

<i>Product Name</i>	<i>Product Type</i>	<i>Finished Product PN</i>	<i>Print file(s) PN(s)</i>	<i>Paper</i>	<i>Finishing</i>	<i>Fiery Preset</i>	<i>USB, Software & Pocket</i>
SC-1	QSG	10243	10243 (SC-1)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00), Score, and Trim to 5.25	QSG	
Pawkit	QSG	10341	10341 (Pawkit)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00), Score, and Trim to 5.25	QSG	
LP-80 Read First	User Documentation	10566	LP-80 (10566) Productlibrary/ Printed Materials/ User Documentation	10223 (80# Card, Long Grain)	Cut in half (5.50)	10566	
Glycerin Verification	User Documentation	10574	Glycerin (10574) Productlibrary/ Printed Materials/ User Documentation	18056 (Avery Label # 6578)	N/A	N/A	
SH-1 Verification	User Documentation	10575	SH-1 (10575) Productlibrary/ Printed Materials/ User Documentation	14582 (Full Page Label)	N/A	N/A	
SDS Envelopes	User Documentation	10577	SDS Envelopes (10577) Productlibrary/ Printed Materials/ User Documentation	14584 (9x6 Envelopes)	N/A	10577	
Glycerin SDS	SDS	10583	Glycerin (10583) Productlibrary/ Printed Materials/ User Documentation	14596 (60 # Paper)	Auto Set for Saddle Stitch	10583	

Print Station Work Instructions

<i>Product Name</i>	<i>Product Type</i>	<i>Finished Product PN</i>	<i>Print file(s) PN(s)</i>	<i>Paper</i>	<i>Finishing</i>	<i>Fiery Preset</i>	<i>USB, Software & Pocket</i>
Arctic Silver SDS	SDS	10585	Arcitic Silver (10585) Productlibrary/ Printed Materials/ User Documentation	18217 (11x17, 28#)	Auto Set for Saddle Stitch ,then hand fold in 1/2	10585	
Pull-Tabs	User Documentation	10662	Pull-Tabs (10662) Productlibrary/ Printed Materials/ User Documentation	10062 (LTR Transparency Film)	Use slide cutter, cut to size leaving NO black lines.	N/A	
AQUALAB Temperature Correction Sticker	User Documentation	10872	AQUALAB Temp (10872) Productlibrary/ Printed Materials/ User Documentation	14582 (Full Page Label)	Cut at 4.25, then stack and cut at 2.20	N/A	
LP-80 Packing List	User Documentation	13378	LP-80 (13378) Productlibrary/ Printed Materials/ User Documentation	10223 (80# Card, Long Grain)	Cut in half (5.50)	N/A	
Pressure Switch PS-1	User Documentation	13445	PS-1 (13445) Productlibrary/ Printed Materials/ User Documentation	10223 (80# Card, Long Grain)	Cut in half (5.50)	N/A	
Artic Alumina SDS	SDS	13888	Artic Alumina (13888) SDS.METERGROUP.COM	18217 (11x17, 28#)	Saddle Stitch (AUTO Staple) Then fold 1/2 by hand.	13888	
AqualLab 4	QSG	13909	13909(AQ4)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00), Score, and Trim to 5.25	QSG	

Print Station Work Instructions

<i>Product Name</i>	<i>Product Type</i>	<i>Finished Product PN</i>	<i>Print file(s) PN(s)</i>	<i>Paper</i>	<i>Finishing</i>	<i>Fiery Preset</i>	<i>USB, Software & Pocket</i>
Suspension Kit Sticker	User Documentation	13930	Suspension Kit (13930) Productlibrary/ Printed Materials/ User Documentation	14582 (Full Page Label)	HAVE SET UP	N/A	
UCA Driver Notice	User Documentation	13937	UCA Driver(13937) Productlibrary/ Printed Materials/ User Documentation	10223 (80# Card, Long Grain)	Cut in half (4.25) then stack & cut (2.75)	N/A	
SC-1 Sensor Head Replacement Instructions	Insert	13956	SC-1 Sensor Head (13956) Productlibrary/ Printed Materials/ User Documentation	10223 (80# Card, Long Grain)	Cut in half (5.50)	N/A	
TR-1 Verificatin	User Documentation	13965	TR-1 (13965) Productlibrary/ Printed Materials/ User Documentation	18055 (Avery Label #5523)	N/A	N/A	
WP4C	QSG	13976	13976 (WP4C)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00), Score, and Trim to 5.25	QSG	
Calibration Certification Envelopes	User Documentation	13982	Calibration Cert (13982) Productlibrary/ Printed Materials/ User Documentation	14584 (9x6 Envelopes)	N/A	13982	
DG3 Label	User Documentation	13989	DG3 Label (13989) Productlibrary/ Printed Materials/ User Documentation	14591 (LTR Waterproof Avery Sticker)	Cut in half (4.25)	N/A	

Print Station Work Instructions

<i>Product Name</i>	<i>Product Type</i>	<i>Finished Product PN</i>	<i>Print file(s) PN(s)</i>	<i>Paper</i>	<i>Finishing</i>	<i>Fiery Preset</i>	<i>USB, Software & Pocket</i>
RJ45 Installation	Inserts	14494	14494 (RJ45)	14596 (60# paper)	N/A	N/A	
VSA	QSG	14510	14510 (VSA)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00), Score, and Trim to 5.25	QSG	
HYDROS 21	QSG	14519	14519 (HYDROS 21)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00), Score, and Trim to 5.25	QSG	
RK-1 Sensor	QSG	14520	14520 (RK-1)	14596 (60 # Paper)	Cut in half (5.50) & laminate	QSG	
Soil Moisture Sensor	QSG	14521	14521 (Soil Moisture)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00), Score, and Trim to 5.25	QSG	
RK-1 Verification	User Documentation	14525	RK-1(14525) Productlibrary/ Printed Materials/ User Documentation	18054 (Avery Label # 22806)	N/A	N/A	
Stop & Verify Insert	User Documentation	14534	Stop/Verify (14534) Productlibrary/ Printed Materials/ User Documentation	14582 (Full Page Label)	Cut in half (5.5), stack them & cut at 3.75	N/A	

Print Station Work Instructions

<i>Product Name</i>	<i>Product Type</i>	<i>Finished Product PN</i>	<i>Print file(s) PN(s)</i>	<i>Paper</i>	<i>Finishing</i>	<i>Fiery Preset</i>	<i>USB, Software & Pocket</i>
TEROS 21	QSG	14536	14536 (TEROS 21)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00), Score, and Trim to 5.25	QSG	
AQUALAB PRE	QSG	14539	14539	18217 (11x17, 28#)	Saddle Stitch 14598 - 1/4" Staple	14539	
DG3 Address Label	User Documentation	14615	DG3 Address (14615) Productlibrary/ Printed Materials/ User Documentation	14591 (LTR Waterproof Avery Sticker)	N/A	N/A	
Pore Water Sampler Connector Kit	User Documentation	14651	Pore Water Sampler (14651) Productlibrary/ Printed Materials/ User Documentation	14652 (OL252OLP, 1x8.25)	N/A	N/A	
VSA Temperature & Humidity	Insert	14956	14956	14596 (60# Cover)	Cut in half (5.5) Laminate 6 x 9	N/A	
SATURO	QSG	14969	14969 (SATURO)	10223 (80# Card, Long Grain)	Cut (right 8.23 & left 8.00), Score, and Trim to 5.25	QSG	
SATURO Infiltrometer Packing List	User Documentation	14970	SATURO List (14970) Productlibrary/ Printed Materials/ User Documentation	10223 (80# Card, Long Grain)	Cut in half (5.50)	N/A	

Print Station Work Instructions

<i>Product Name</i>	<i>Product Type</i>	<i>Finished Product PN</i>	<i>Print file(s) PN(s)</i>	<i>Paper</i>	<i>Finishing</i>	<i>Fiery Preset</i>	<i>USB, Software & Pocket</i>
Thermal Printer Card	Inserts	14976	14976 (Thermal Print)	10223 (80# Card, Long Grain)	Cut at 4.25, Score at 5.5 & fold	14976	
GroSens Stand Alone Kit QSG	User Documentation	14990	GroSen Stand Alone (14990) Productlibrary/ Printed Materials/ User Documentation	Pegasus Cardstock (Printed by J&H)	N/A	N/A	
GroSens Installation Guide	Inserts	14991	14991 (Grodon)	Pegasus Cardstock (Printed by J&H)	N/A	N/A	
SC-1 Packing List	User Documentation	14992	SC-1 (14992) Productlibrary/ Printed Materials/ User Documentation	10223 (80# Card, Long Grain)	Cut in half (5.50)	N/A	
Grodan 15004 Radio Component	User Documentation	15018	Grodan 15004 Radio (15018) Productlibrary/ Printed Materials/ User Documentation	13472 (Microtube Tough-Tags .94x.50)	N/A	15018	
Grodan 15010 Radio Component	User Documentation	15019	Grodan 15010 Radio (15019) Productlibrary/ Printed Materials/ User Documentation	13472 (Microtube Tough-Tags .94x.50)	N/A	15019	
Fuew, 2A@ 250 V	Inserts	15927	15927 (FuseSheet)	13472 (Microtube Tough-Tags .94x.50)	N/A	N/A	

Print Station Work Instructions

<i>Product Name</i>	<i>Product Type</i>	<i>Finished Product PN</i>	<i>Print file(s) PN(s)</i>	<i>Paper</i>	<i>Finishing</i>	<i>Fiery Preset</i>	<i>USB, Software & Pocket</i>
Auto-Pump Out/In Sticker	Inserts	18020	18020 (AutoPump)	18491 (Avery #5160)	N/A	N/A	
Auto Pump Top Label	Inserts	18021	18021	14591 (LTR Waterproof Avery Sticker)	N/A	N/A	
Drierite SDS	SDS	18025	Drierite SDS (18025) SDS.METERGROUP.COM	14596 (60# Paper)	Saddle Stitch (AUTO Staple)	18025	
GroSens MuiltSonsor QSG	QSG	18031	18031 (GroSens Multi)	Pegasus Cardstock (Printed by J&H)	N/A	N/A	
Print End Sticker	Inserts	18032	18032 (Print End)	14582 (Full Page Label)	Hand cut, using slide cutter	N/A	
GroSen Guarantee	Inserts	18039	18039 (Grosens Guarantee)	14583 (80# Cover, Short Grain)	N/A	N/A	
ATMOS41	QSG	18170	18170 ATMOS 41)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00), Score, and Trim to 5.25	QSG	

Print Station Work Instructions

<i>Product Name</i>	<i>Product Type</i>	<i>Finished Product PN</i>	<i>Print file(s) PN(s)</i>	<i>Paper</i>	<i>Finishing</i>	<i>Fiery Preset</i>	<i>USB, Software & Pocket</i>
TEROS 11-12	QSG	18193	18193 (TEROS 11-12)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00), Score, and Trim to 5.25	QSG	
ATMOS 22	QSG	18194	18194 (ATMOS 22)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00), Score, and Trim to 5.25	QSG	
EM60 Port Card	User Documentation	18200	EM60 Port Card (18200) Productlibrary/ Printed Materials/ User Documentation	14583 (80# Cover, Short Grain)	HAVE SET UP	18200	
Meter Certificate Paper	User Documentation	18223	METER Cert Paper (18223) Productlibrary/ Printed Materials/ User Documentation	14596 (60# Paper)	N/A	N/A	
TEROS Infomation Card	User Documentation	18227	TEROS Info Card (18227) Productlibrary/ Printed Materials/ User Documentation	10223 (80# Card, Long Grain)	Cut in 3rds (3.67)	N/A	
TEROS Bit Instructions Sheet	Instruction Sheet	18228	18228 (TEROS BIT IS)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00), Score, and Trim to 5.25	QSG	
AQUALAB 3	QSG	18232	18232 (AQ3)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00), Score, and Trim to 5.25	QSG	

Print Station Work Instructions

<i>Product Name</i>	<i>Product Type</i>	<i>Finished Product PN</i>	<i>Print file(s) PN(s)</i>	<i>Paper</i>	<i>Finishing</i>	<i>Fiery Preset</i>	<i>USB, Software & Pocket</i>
TEROS 10	QSG	18244	18244 (TEROS 10)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00), Score, and Trim to 5.25	QSG	
ZL6	QSG	18257	18257 (ZL6)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00), Score, and Trim to 5.25	QSG	
PROP 65 Sticker	User Documentation	18262	PROP 65 (18262) Productlibrary/ Printed Materials/ User Documentation	14582 (Full Page Label)	Cut in half (4.25) then stack & cut (1.60)	N/A	
TEROS Bit Rental Return	Instruction Sheet	18266	18266 (TEROS-BIT RentReturn)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00), Score, and Trim to 5.25	QSG	
ATMOS 14	QSG	18268	18268 (ATMOS 14)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00), Score, and Trim to 5.25	QSG	
PHYTOS 31	QSG	18270	18270 (PHYTOS 31)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00), Score, and Trim to 5.25	QSG	
TDL	QSG	18287	18287 (TDL)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00), Score, and Trim to 5.25	QSG	

Print Station Work Instructions

<i>Product Name</i>	<i>Product Type</i>	<i>Finished Product PN</i>	<i>Print file(s) PN(s)</i>	<i>Paper</i>	<i>Finishing</i>	<i>Fiery Preset</i>	<i>USB, Software & Pocket</i>
AQ2 Spare Sensor Block Instruction Insert	User Documentation	18288	AQ2 Spare Instruction (18288) Productlibrary/ Printed Materials/ User Documentation	10223 (80# Card, Long Grain)	HAVE SET UP	N/A	
AQ2 Spare Sensor Block Sticker	User Documentation	18289	AQ2 Spare Sticker (18289) Productlibrary/ Printed Materials/ User Documentation	14582 (Full Page Label)	HAVE SET UP	N/A	
ECRN-100	QSG	18292	18292 (ECRN-100)	10223 (80# Card, Long Grain)	Cut in half (5.50)	N/A	
SRS-IS	QSG	18293	18293 (SRS-IS)	10223 (80# Card, Long Grain)	Cut in half (5.50)	N/A	
TEROS Verificatoin Clip	QSG	18299	18299(TEROS Verificatoin)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00), Score, and Trim to 5.25	QSG	
Bird Spike Instructions	QSG	18300	18300 (Bird Spike)	10223 (80# Card, Long Grain)	Cut in half (5.50)	18300	
ECRN-50	QSG	18302	18302 (ECRN-50)	10223 (80# Cover, Long Grain)	Cut in half (5.50)	N/A	

Print Station Work Instructions

<i>Product Name</i>	<i>Product Type</i>	<i>Finished Product PN</i>	<i>Print file(s) PN(s)</i>	<i>Paper</i>	<i>Finishing</i>	<i>Fiery Preset</i>	<i>USB, Software & Pocket</i>
IRT	QSG	18304	18304 (IRT)	10223 (80# Card, Long Grain)	Cut in half (5.50)	N/A	
PAR-PYR	QSG	18305	18305 (PAR-PYR)	10223 (80# Card, Long Grain)	Cut in half (5.50)	N/A	
TEROS 32	QSG	18314	18314 (TEROS 32)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00), Score, and Trim to 5.25	QSG	
ZL6 Barometer Daughtercard Instruction Card	Instruction Sheet	18317	18317 (ZL6-IS Barometer)	18218 (11x17, 100#)	HAVE SET UP	18317 & 18318	
ZL6 LTE Instruction Card Insert	Instruction Sheet	18318	18318 (ZL6-IS CellularBoard)	18218 (11x17, 100#)	HAVE SET UP	18317 & 18318	
H-1 SIM Card Replacement Insert	User Documentation	18320	H-1 SIM (18320) Productlibrary/ Printed Materials/ User Documentation	10223 (80# Card, Long Grain)	Cut from botton (10.5) then cut (3.5)	N/A	
Splice Kit IS	Instruction Sheet	18321	18321 (Splice Kit)	14596 (60# Paper)	HAVE SET UP	18321	

Print Station Work Instructions

<i>Product Name</i>	<i>Product Type</i>	<i>Finished Product PN</i>	<i>Print file(s) PN(s)</i>	<i>Paper</i>	<i>Finishing</i>	<i>Fiery Preset</i>	<i>USB, Software & Pocket</i>
PARIO Infomation Card	User Documentation	18329	PARIO Info Card (18329) Productlibrary/ Printed Materials/ User Documentation	14583 (80# Cover, Short Grain)	Cut in 3rds (3.67)	N/A	
ZCS	QSG	18332	18332 (ZSC)	10223 (80# Card, Long Grain)	Cut (right 8.23 & left 8.00), Score, and Trim to 5.25	QSG	
NEXUS USB Adapter	User Documentation	18360	NEXUS USB (18360) Productlibrary/ Printed Materials/ User Documentation	10223 (80# Card, Long Grain)	Cut in half (4.25) then stack & cut (2.75)	N/A	
Em50G Repair Insert	User Documentation	18376	Em50G Repair (18376) Productlibrary/ Printed Materials/ User Documentation	10223 (80# Card, Long Grain)	Cut in half (4.25) then stack & cut (2.75)	N/A	
ES-2	QSG	18377	18377 (ES-2)	10223 (80# Card, Long Grain)	Cut (right 8.23 & left 8.00), Score, and Trim to 5.25	QSG	
ATMOS 41 Funnel Replacement Insert	User Documentation	18379	ATMOS 41/Funnel (18379) Productlibrary/ Printed Materials/ User Documentation	10223 (80# Card, Long Grain)	Cut in half (4.25) then stack & cut (2.75)	N/A	
ZL6 Basic	QSG	18383	18383 (ZL6 Basic)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00), Score, and Trim to 5.25	QSG	

Print Station Work Instructions

<i>Product Name</i>	<i>Product Type</i>	<i>Finished Product PN</i>	<i>Print file(s) PN(s)</i>	<i>Paper</i>	<i>Finishing</i>	<i>Fiery Preset</i>	<i>USB, Software & Pocket</i>
AROYA METER BUILD PCBA	User Documentation	18384	AROYA METER BUILD (18384) Productlibrary/ Printed Materials/ User Documentation	15865 (Microtube Tough-Tags 1.625x.625)	After printing on labels use slide cutter and cut full label in half.	18384	
TEROS 31	QSG	18387	18387 (TEROS 31)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00), Score, and Trim to 5.25	QSG	
AROYA H311 Sensor Nose/FCC Serial Sticker	User Documentation	18390	AROYA H311 (18390) Productlibrary/ Printed Materials/ User Documentation	15865 (Microtube Tough-Tags 1.625x.625)	18390	N/A	
RT-1 & ECT	QSG	18391	18391 (RT-1 & ECT)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00), Score, and Trim to 5.25	QSG	
AnemometerMast_IS	Instruction Sheet	18392	18392 (AnemometerMast)	18217 (11x17, 28#)		18392	
TEMPOS	QSG	18393	18393 (TEMPOS)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00), Score, and Trim to 5.25	QSG	
ZL6 Basic Postcard	User Documentation	18396	ZL6 Basic PC (18396) Productlibrary/ Printed Materials/ User Documentation	10223 (80# Card, Long Grain)	HAVE SET UP	ZL6 Postcard	

Print Station Work Instructions

<i>Product Name</i>	<i>Product Type</i>	<i>Finished Product PN</i>	<i>Print file(s) PN(s)</i>	<i>Paper</i>	<i>Finishing</i>	<i>Fiery Preset</i>	<i>USB, Software & Pocket</i>
ZL6 Standard Postcard	User Documentation	18397	ZL6 Standard PC (18397) Productlibrary/ Printed Materials/ User Documentation	10223 (80# Card, Long Grain)	HAVE SET UP	ZL6 Postcard	
ZL6 PRO Postcard	User Documentation	18398	ZL6 PRO PC (18398) Productlibrary/ Printed Materials/ User Documentation	10223 (80# Card, Long Grain)	HAVE SET UP	ZL6 Postcard	
Molecular Sieve SDS	SDS	18401	Molecular Sieve (18401) SDS.METERGROUP.COM	14596 (60# Paper)	Saddle Stitch (AUTO Staple)	18401	
ZL6 Strain Relief Card	User Documentation	18402	ZL6 Strain Relief (18402) Productlibrary/ Printed Materials/ User Documentation	18218 (11x17, 100#)	Cut from bottom (5.75), from the left (15.50) Flip to cut Left to Right (3.75)	N/A	
TEROS 6	QSG	18410	18410 (TEROS 6)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00), Score, and Trim to 5.25	QSG	
AROYA Hardware	QSG	18416	18416 (AROYA Hardware)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00), Score & STAPLE , Trim to (5.25)	QSG	
Nelson-Jamson Water Activity	QSG	18427	18427 (Nelson-Jamson)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00), Score, and Trim to 5.25	QSG	

Print Station Work Instructions

<i>Product Name</i>	<i>Product Type</i>	<i>Finished Product PN</i>	<i>Print file(s) PN(s)</i>	<i>Paper</i>	<i>Finishing</i>	<i>Fiery Preset</i>	<i>USB, Software & Pocket</i>
AROYA-SOLUS	QSG	18431	18431 (AROYA-SOLUS)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00), Score, and Trim to 5.25	QSG	
ES-2 Alignment Sticker	User Documentation	18440	ES-2 Alignment (18440) <i>Productlibrary/ Printed Materials/ User Documentation</i>	15865 (Microtube Tough-Tags 1.625x.625)	N/A	N/A	
AROYA Scale Instructions	Instruction Sheet	18441	18441 (AROYA-Scales)	10223 (80# Card, Long Grain)	Cut in half (5.50)	N/A	
AROYA Scale Cart	User Documentation	18442	AROYA Scale Cart (18442) <i>Productlibrary/ Printed Materials/ User Documentation</i>	10223 (80# Card, Long Grain)	N/A	N/A	
KSAT Insert Card	User Documentation	18450	KSAT Insert (18450) <i>Productlibrary/ Printed Materials/ User Documentation</i>	10223 (80# Card, Long Grain)	Cut in 3rds (3.67)	N/A	
AROYA Quantum	QSG	18452	18452 (AROYA Quantum)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00), Score, and Trim to 5.25	QSG	
ATMOS 14 RH Sensor Daughterboard Replacment	User Documentation	18453	ATMOS 41 RH/Replacment (18453) <i>Productlibrary/ Printed Materials/ User Documentation</i>	10223 (80# Card, Long Grain)	Cut in half (4.25) then stack & cut (2.75)	N/A	

Print Station Work Instructions

<i>Product Name</i>	<i>Product Type</i>	<i>Finished Product PN</i>	<i>Print file(s) PN(s)</i>	<i>Paper</i>	<i>Finishing</i>	<i>Fiery Preset</i>	<i>USB, Software & Pocket</i>
WARNING Symbol Sticker	Labels	18455	18455 Productlibrary\ Printed_ Materials\ Labels	16082 (OL28CX - Clear, .75x1)	N/A	WARNINGSticker	
ROS-1	QSG	18461	18461 (ROS-1)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00), Score, and Trim to 5.25	N/A	
ROS-1 Video Insert	User Documentation	18462	ROS-1 Video (18462) Productlibrary/ Printed Materials/ User Documentation	10223 (80# Card, Long Grain)	Cut in half (4.25) then stack & cut (2.75)	N/A	
ROS 1 Filter Paper Box Label	Labels	18464	18464 Productlibrary\ Printed_ Materials\ Labels	14582 (Full Page Label)	Cut to RED Lines	N/A	
Forever Green Indoor	Labels	18483	18483 Productlibrary\ Printed_ Materials\ Labels	18491 (Avery Label #5160)	N/A	18483-18485	
RF Agriculture	Labels	18484	18484 Productlibrary\ Printed_ Materials\ Labels	18491 (Avery Label #5160)	N/A	18483-18485	
Dutch Direct	Labels	18485	18485 Productlibrary\ Printed_ Materials\ Labels	18491 (Avery Label #5160)	N/A	18483-18485	

Print Station Work Instructions

<i>Product Name</i>	<i>Product Type</i>	<i>Finished Product PN</i>	<i>Print file(s) PN(s)</i>	<i>Paper</i>	<i>Finishing</i>	<i>Fiery Preset</i>	<i>USB, Software & Pocket</i>
Totum Hydroponics	Labels	18486	18486 Productlibrary\ Printed_ Materials\ Labels	18491 (Avery Label #5160)	N/A	18483-18485	
WP4C Temperature Control Insert	User Documentation	18489	WP4C Temp Control (18489) Productlibrary/ Printed Materials/ User Documentation	14582 (Full Page Label)	Cut at 4.25, then stack and cut at 2.20	N/A	
Green House Solutions	Labels	18492	18492 Productlibrary\ Printed_ Materials\ Labels	18491 (Avery Label #5160)	N/A	18483-18485	
ATMOS 41 RH Sensor Daughterboard Instruction Sheet	User Documentation	18493	ATMOS 41 RH/Instructions(18493) Productlibrary/ Printed Materials/ User Documentation	10223 (80# Card, Long Grain)	Cut in half (4.25) then stack & cut (2.75)	N/A	
VARIOS Insert Card	User Documentation	18503	18503 (VARIOS)	10223 (80# Card, Long Grain)	Cut to RED Lines	N/A	
ROS 1 Weight Box Outside Label	Labels	18508	18508 Productlibrary\ Printed_ Materials\ Labels	14582 (Full Page Label)	Cut to RED Lines	N/A	
ROS 1 Weight Box Inside Box Lid Inside	Labels	18509	18509 Productlibrary\ Printed_ Materials\ Labels	18509 (Label)	Cut to RED Lines	N/A	

Print Station Work Instructions

<i>Product Name</i>	<i>Product Type</i>	<i>Finished Product PN</i>	<i>Print file(s) PN(s)</i>	<i>Paper</i>	<i>Finishing</i>	<i>Fiery Preset</i>	<i>USB, Software & Pocket</i>
LABROS Software Reference Guide	QSG	18515	18515 (LABROS)	10223 (80# Card, Long Grain)	N/A	18515	
Soil Moisture Sensor	QSG	18516	18516 (VARIOS)	14583 (80# Cover, Short Grain)	Cut (right 8.23 & left 8.00), Score, and Trim to 5.25	QSG	
VSA (Vapor Sorption Analyzer)	Manual	20361	13832 (VSA Pages) 14512 (VSA Cover)	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Cut (top,bottom,middle, marry & trim side) Bind (10mm # 10074)	Manuals	
Mini Disk Infiltrometer	Manual	20421	10564 (Mini Disk Pages) 14560 (Mini Disk Cover)	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Cut (top & bottom) Score, Saddle Stitch (Staple 1/4, # 14589) Press & Trim Excess	Manual	
ProCheck	Manual	20425	13481 (ProCheck Pages) 14564 (ProCheck Cover)	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Cut (top & bottom) Score, Saddle Stitch (Staple 1/4, # 14589) Press & Trim Excess	Manual	USB file # 20830 USB (14642) Pocket (14989)
LP-80	Manual	20442	10242(LP-80 Pages) 10888 (LP-80 Cover)	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Cut (top,bottom,middle, marry & trim side) Bind (8mm # 10077)	Manual	USB file # 20823 USB (14642) Pocket (14989)
SATURO Infiltrometer	Manual	20496	14968 (SATURO Pages) 14967 (SATURO Cover)	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Cut (top & bottom) Score, Saddle Stitch (Staple 1/4, # 14589) Press & Trim Excess	Manual	

Print Station Work Instructions

<i>Product Name</i>	<i>Product Type</i>	<i>Finished Product PN</i>	<i>Print file(s) PN(s)</i>	<i>Paper</i>	<i>Finishing</i>	<i>Fiery Preset</i>	<i>USB, Software & Pocket</i>
SDS Manual	Manual	20533	18022 (SDS Pages) 18023 (SDS Cover) Reduce to 92%	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Cut (top & bottom) Score, Saddle Stitch (Staple 1/4, # 14589) Press & Trim Excess	SDS Manual	
WP4C	Manual	20588	13588 (WP4C Pages) 13589 (WP4C Cover)	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Cut (top & bottom) Score, Saddle Stitch (Staple 1/4, # 14589) Press & Trim Excess	Manual	
AQUALAB PRE	Manual	20589	13893 (PRE Pages) 14540 (PRE Cover) 10042 (General Back Cover)	Pages-14596 (60# Paper), Back Cover (10223, 80#) Front Cover is Pre-printed (located in bin Spiral Covers)	Cut in half (5.50) marry & bind (10077 8mm)	SpiralMan	
ATMOS 41	Manual	20635	18169 (ATMOS 41 Pages) 18192 (ATMOS 41 Cover)	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Cut (top & bottom) Score, Saddle Stitch (Staple 1/4, # 14589) Press & Trim Excess	Manual	
TEMPOS	Manual	20645	18215 (TEMPOS Pages) 18216 (TEMPOS Cover)	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Cut (top & bottom) Score, Saddle Stitch (Staple 5/16, # 14607) Press & Trim Excess	Manual	
G3 Drain Gauge	Manual	20677	13677 (DG3 Pages) 13895 (DG3 Cover)	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Cut (top & bottom) Score, Saddle Stitch (Staple 1/4, # 14589) Press & Trim Excess	Manual	
SC-1	Manual	20773	10711 (SC-1 Pages) 10784 (SC-1 Cover)	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Cut (top,bottom,middle, marry & trim side) Bind (8mm # 10077)	Manual	USB file # 20517 USB (14642) Pocket (14989)

Print Station Work Instructions

<i>Product Name</i>	<i>Product Type</i>	<i>Finished Product PN</i>	<i>Print file(s) PN(s)</i>	<i>Paper</i>	<i>Finishing</i>	<i>Fiery Preset</i>	<i>USB, Software & Pocket</i>
AQUALAB 4	Manual	20779	18280 (AQ4 Pages) 18279 (AQ4 Cover) Reduce to 90%	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Cut (top,bottom,middle, marry & trim side) Bind (8mm # 10077)	AquaLab4	
PARIO	Manual	20780	18213 (PARIO Pages) 18214 (PARIOCover)	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Cut (top,bottom,middle, marry & trim side) Bind (8mm # 10077)	Manual	
ZL6	Manual	20789	18258 (ZL6 Pages) 118259 (ZL6 Cover) Reduce to 92%	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Cut (top,bottom,middle, marry & trim side) Bind (8mm # 10077)	Manual	USB file # 20572 USB (14642) Pocket (14989)
TDL	Manual	20790	18286 (TDL Pages) 18285 (TDLCover) Reduce to 90%	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Cut (top,bottom,middle, marry & trim side) Bind (8mm # 10077)	TDLManual	
Nelson-Jamson Water Activity	Manual	20869	18425 (NJ Pawkit Pages) 18426 (NJ Pawkit Cover)	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Cut (top & bottom) Score, Saddle Stitch (Staple 1/4, # 14589) Press & Trim Excess	Manual	
APOGEE NDV/PRI	Manual	20871	18420 (APOGEE NDV/PRI Pages) 18432 (APOGEE NDV/PRI Cover)	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Cut (top & bottom) Score, Saddle Stitch (Staple 1/4, # 14589) Press & Trim Excess	Manual	
ROS-1	Manual	20874	18159 (ROS-1 Pages) 18460 (ROS-1 Cover)	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Cut (top & bottom) Score, Saddle Stitch (Staple 1/4, # 14589) Press & Trim Excess	Manual	

Print Station Work Instructions

<i>Product Name</i>	<i>Product Type</i>	<i>Finished Product PN</i>	<i>Print file(s) PN(s)</i>	<i>Paper</i>	<i>Finishing</i>	<i>Fiery Preset</i>	<i>USB, Software & Pocket</i>
APOGEE SQ-521 (QUANTUM)	Manual	20999	18474 (APOGEE SQ-521 Pages) 18475 (APOGEE SQ-521 Cover)	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Cut (top & bottom) Score, Saddle Stitch (Staple 1/4, # 14589) Press & Trim Excess	Manual	
APOGEE SO-411 (OXYGEN)	Manual	21000	184746 (APOGEE SQ-521 Pages) 18477 (APOGEE SQ-521 Cover)	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Cut (top & bottom) Score, Saddle Stitch (Staple 1/4, # 14589) Press & Trim Excess	Manual	
APOGEE SN-500 (NET RADIOMETER)	Manual	21001	18445(APOGEE SN-500 Pages) 18446 (APOGEE SN-500 Cover)	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Trim (top & bottom) Score, Saddle Stitch (Staple 1/4, # 14589)	Manual	
APOGEE SU-221-UV (UV SENSOR)	Manual	21002	18443 (APOGEE UV Pages) 18444 (APOGEE UV Cover)	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Trim (top & bottom) Score, Saddle Stitch (Staple 1/4, # 14589)	Manual	
APOGEE IRT SENSOR (IR RADIOMETER)	Manual	21004	18481(APOGEE IRT Pages) 18482 (APOGEE IRT Cover)	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Cut (top & bottom) Score, Saddle Stitch (Staple 1/4, # 14589) Press & Trim Excess	Manual	
PAWKIT	Manual	30515	10366 (PAWKIT Pages) 10874 (PAWKIT Cover)	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Trim (top & bottom) Score, Saddle Stitch (Staple 1/4, # 14589)	Manual	

Print Station Work Instructions

<i>Product Name</i>	<i>Product Type</i>	<i>Finished Product PN</i>	<i>Print file(s) PN(s)</i>	<i>Paper</i>	<i>Finishing</i>	<i>Fiery Preset</i>	<i>USB, Software & Pocket</i>
Moisture Analysis Toolkit (MAT) Loaded and Active Kit	USB Booklet	40205	MAT Bookelt 14958	18218 (11x17, 28# - Pages) 18217 (11x17, 100# - Cover)	Score, Saddle Stitch (Staple # 14589), Cut to size	14958	Pocket (14989)
40201 Site Registration Label	USB Generator Sticker	40201	Site Registration 40201 <u>DecaDoc/</u> <u>Decagon USB Generator/</u> <u>UBSGenerator</u> <u>(Use most current one)</u>	Zebra sticker	Select 10 Labels to print & then create	40201	